

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 NOV 21 CAS patent coverage to include exemplified prophetic
substances identified in English-, French-, German-,
and Japanese-language basic patents from 2004-present
NEWS 3 NOV 26 MARPAT enhanced with FSORT command
NEWS 4 NOV 26 CHEMSAFE now available on STN Easy
NEWS 5 NOV 26 Two new SET commands increase convenience of STN
searching
NEWS 6 DEC 01 ChemPort single article sales feature unavailable
NEWS 7 DEC 12 GBFULL now offers single source for full-text
coverage of complete UK patent families
NEWS 8 DEC 17 Fifty-one pharmaceutical ingredients added to PS
NEWS 9 JAN 06 The retention policy for unread STNmail messages
will change in 2009 for STN-Columbus and STN-Tokyo
NEWS 10 JAN 07 WPIDS, WPINDEX, and WPIX enhanced Japanese Patent
Classification Data
NEWS 11 FEB 02 Simultaneous left and right truncation (SLART) added
for CERAB, COMPUAB, ELCOM, and SOLIDSTATE
NEWS 12 FEB 02 GENBANK enhanced with SET PLURALS and SET SPELLING
NEWS 13 FEB 06 Patent sequence location (PSL) data added to USGENE
NEWS 14 FEB 10 COMPENDEX reloaded and enhanced
NEWS 15 FEB 11 WTEXTILES reloaded and enhanced

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:28:39 ON 18 FEB 2009

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.22	0.22

FILE 'CAPLUS' ENTERED AT 09:28:53 ON 18 FEB 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 18 Feb 2009 VOL 150 ISS 8
 FILE LAST UPDATED: 17 Feb 2009 (20090217/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s carbonitrosilicate or nitrocarbosilicate

0 CARBONITROSILICATE

0 NITROCARBOSILICATE

L1 0 CARBONITROSILICATE OR NITROCARBOSILICATE

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	4.98	5.20

FILE 'REGISTRY' ENTERED AT 09:29:41 ON 18 FEB 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "[HELP USAGETERMS](#)" FOR DETAILS.
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 17 FEB 2009 HIGHEST RN 1107694-62-1
 DICTIONARY FILE UPDATES: 17 FEB 2009 HIGHEST RN 1107694-62-1

New CAS Information Use Policies, enter [HELP USAGETERMS](#) for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> e cn6si4y2/mf

E1 1 CN6SI4TB0.3Y1.7/MF

E2 1 CN6SI4TB2/MF

E3 0 --> CN6SI4Y2/MF

E4 6 CN7/MF

E5 1 CN7Y8/MF

E6 1 CN8O2/MF

E7 1 CN8O4/MF

E8 3 CN9/MF

E9 1 CN9.BF4/MF

E10 2 CN9.CL6SB/MF

E11 1 CN9.CL6U/MF

E12 1 CN9.CLO4/MF

=> s e1,e3

1 CN6SI4TB0.3Y1.7/MF

0 CN6SI4Y2/MF

L2 1 (CN6SI4TB0.3Y1.7/MF OR CN6SI4Y2/MF)

=> 

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2009 ACS on STN
 RN 903905-90-8 REGISTRY
 ED Entered STN: 23 Aug 2006
 CN Silicon terbium yttrium carbide nitride (Si4Tb0.3Y1.7CN6) (9CI) (CA INDEX NAME)
 MF C . N . Si . Tb . Y
 AF C N6 Si4 Tb0.3 Y1.7
 CI TIS
 SR CA
 LC STN Files: CA, CAPLUS

Component	Ratio	Component
		Registry Number
N	6	17778-88-0
Y	1.7	7440-65-5
C	1	7440-44-0
Tb	0.3	7440-27-9
Si	4	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=>  all

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2009 ACS on STN
 RN 903905-90-8 REGISTRY
 ED Entered STN: 23 Aug 2006
 CN Silicon terbium yttrium carbide nitride (Si4Tb0.3Y1.7CN6) (9CI) (CA INDEX NAME)
 MF C . N . Si . Tb . Y
 AF C N6 Si4 Tb0.3 Y1.7
 CI TIS
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Journal
 RL.NP Roles from non-patents: PREP (Preparation); PRP (Properties)

Component	Ratio	Component
		Registry Number
N	6	17778-88-0
Y	1.7	7440-65-5
C	1	7440-44-0
Tb	0.3	7440-27-9
Si	4	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1



AN 145:220100 CA
 TI Preparation, Structure, and Luminescence Properties of Y2Si4N6C:Ce3+ and Y2Si4N6C:Tb3+
 AU Zhang, Hongchuan; Horikawa, Takashi; Machida, Ken-Ichi
 CS Center for Advanced Science and Innovation, Osaka University, Suita, Osaka, 565-0871, Japan
 SO Journal of the Electrochemical Society (2006), 153(7), H151-H154
 CODEN: JESOAN; ISSN: 0013-4651

PB Electrochemical Society
 DT Journal
 LA English
 CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
 Section cross-reference(s): 78

AB Rare-earth Si carbonitrides, Y₂Si₄N₆C and Y₂Si₄N₆C:M³⁺ (M=Ce,Tb), were prepd. by a carbothermal redn. and nitridation method. The crystal structure of Y₂Si₄N₆C was detd. by Rietveld refinement using the at. coordinates of Ho₂Si₄N₆C as a starting model. The host lattice was isostructural with Ho₂Si₄N₆C of monoclinic system [P2₁/c, a 5.9295(1), b 9.8957(1), c 11.8800(2) Å, β 119.63(4)°, and Z = 4]. The photoluminescence properties of doped materials, Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺, were characterized from the detailed structural anal. result.

ST prepn structure luminescence yttrium carbide nitride silicide cerium terbium

IT Reduction
 (carbothermic, in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Nitriding
 (in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Rare earth metals, properties
 RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
 (ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Bond angle
 Bond length
 Crystal structure
 Luminescence
 Molecular structure
 (prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Photoexcitation
 (spectra; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 343332-13-8P, Silicon yttrium carbide nitride (Si₄Y₂CN₆)
 RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
 (doped with rare earth ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 903905-89-5P, Cerium silicon yttrium carbide nitride (Ce_{0.06}Si₄Y_{1.94}CN₆)
903905-90-8P, Silicon terbium yttrium carbide nitride (Si₄Tb_{0.3Y1.7}CN₆)
903905-91-9P, Cerium silicon yttrium carbide nitride (Ce_{0.02}Si₄Y_{1.98}CN₆)
903905-92-0P, Cerium silicon yttrium carbide nitride (Ce_{0.04}Si₄Y_{1.96}CN₆)
903905-93-1P, Cerium silicon yttrium carbide nitride (Ce_{0.08}Si₄Y_{1.92}CN₆)
 RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
 (prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 1314-36-9, Yttrium oxide, reactions 7440-44-0, Carbon, reactions 7727-37-9, Nitrogen, reactions 12033-89-5, Silicon nitride, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 7440-27-9, Terbium, properties 7440-45-1, Cerium, properties 18923-26-7, Cerium(3+), properties 22541-20-4, Terbium(3+), properties
 RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
 (yttrium carbide nitride silicide doped with; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD

(1) Adamsky, R; Z Kristallogr 1959, V111, P350 [CAPLUS](#)
 (2) Ekstrom, T; J Mater Chem 1997, V7, P505 [CAPLUS](#)
 (3) Hintzen, H; EP 1104799 2001 [CAPLUS](#)
 (4) Hirosaki, N; WO 2005078811 2001 [CAPLUS](#)
 (5) Hoppe, H; J Mater Chem 2001, V11, P3300
 (6) Lammers, M; J Electrochem Soc 1987, V134, P2068 [CAPLUS](#)

- (7) Lee, J; J Am Ceram Soc 1979, V58, P869 CAPLUS
 (8) Li, Y; J Solid State Chem 2004, V177, P4687 CAPLUS
 (9) Liddell, K; J Eur Ceram Soc 2005, V25, P37 CAPLUS
 (10) Schmidt, P; WO 2005083037 A1 2005 CAPLUS
 (11) Thompson, D; Mater Sci Res 1986, V20, P79 CAPLUS
 (12) van Krevel, J; J Alloys Compd 1998, V268, P272 CAPLUS
 (13) van Krevel, J; J Solid State Chem 2002, V165, P19 CAPLUS
 (14) Wiles, D; J Appl Crystallogr 1981, V14, P149 CAPLUS
 (15) Wiles, D; J Appl Crystallogr 1982, V15, P430

=> d acc 343332-13-8

ANSWER 1 REGISTRY COPYRIGHT 2009 ACS on STN
 RN 343332-13-8 REGISTRY
 ED Entered STN: 26 Jun 2001
 CN Silicon yttrium carbide nitride (Si4Y2CN6) (CA INDEX NAME)
 MF C . N . Si . Y
 AF N6 O Si4 Y2
 CI TIS
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

Component	Ratio	Component
		Registry Number
=====	=====	=====
N	6	17778-88-0
Y	2	7440-65-5
C	1	7440-44-0
Si	4	7440-21-3

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

5 REFERENCES IN FILE CA (1907 TO DATE)
 5 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d all

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2009 ACS on STN
 RN 903905-90-8 REGISTRY
 ED Entered STN: 23 Aug 2006
 CN Silicon terbium yttrium carbide nitride (Si4Tb0.3Y1.7CN6) (9CI) (CA INDEX NAME)
 MF C . N . Si . Tb . Y
 AF C N6 Si4 Tb0.3 Y1.7
 CI TIS
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA CAplus document type: Journal
 RL.NP Roles from non-patents: PREP (Preparation); PRP (Properties)

Component	Ratio	Component
		Registry Number
=====	=====	=====
N	6	17778-88-0
Y	1.7	7440-65-5
C	1	7440-44-0
Tb	0.3	7440-27-9
Si	4	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1

AN 145:220100 CA

TI Preparation, Structure, and Luminescence Properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺

AU Zhang, Hongchuan; Horikawa, Takashi; Machida, Ken-Ichi

CS Center for Advanced Science and Innovation, Osaka University, Suita, Osaka, 565-0871, Japan

SO Journal of the Electrochemical Society (2006), 153(7), H151-H154
CODEN: JESOAN; ISSN: 0013-4651

PB Electrochemical Society

DT Journal

LA English

CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
Section cross-reference(s): 78

AB Rare-earth Si carbonitrides, Y₂Si₄N₆C and Y₂Si₄N₆C:M³⁺ (M=Ce, Tb), were prepd. by a carbothermal redn. and nitridation method. The crystal structure of Y₂Si₄N₆C was detd. by Rietveld refinement using the at. coordinates of Ho₂Si₄N₆C as a starting model. The host lattice was isostructural with Ho₂Si₄N₆C of monoclinic system [P2₁/c, a 5.9295(1), b 9.8957(1), c 11.8800(2) Å, β 119.63(4)°, and Z = 4]. The photoluminescence properties of doped materials, Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺, were characterized from the detailed structural anal. result.

ST prepn structure luminescence yttrium carbide nitride silicide cerium terbium

IT Reduction
(carbothermic, in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Nitriding
(in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Rare earth metals, properties
RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
(ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Bond angle
Bond length
Crystal structure
Luminescence
Molecular structure
(prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Photoexcitation
(spectra; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 343332-13-8P, Silicon yttrium carbide nitride (Si₄Y₂CN₆)
RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
(doped with rare earth ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 903905-89-5P, Cerium silicon yttrium carbide nitride (Ce_{0.06}Si₄Y_{1.94}CN₆)
903905-90-8P, Silicon terbium yttrium carbide nitride (Si₄Tb_{0.3Y1.7}CN₆)
903905-91-9P, Cerium silicon yttrium carbide nitride (Ce_{0.02}Si₄Y_{1.98}CN₆)
903905-92-0P, Cerium silicon yttrium carbide nitride (Ce_{0.04}Si₄Y_{1.96}CN₆)
903905-93-1P, Cerium silicon yttrium carbide nitride (Ce_{0.08}Si₄Y_{1.92}CN₆)
RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
(prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 1314-36-9, Yttrium oxide, reactions 7440-44-0, Carbon, reactions 7727-37-9, Nitrogen, reactions 12033-89-5, Silicon nitride, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 7440-27-9, Terbium, properties 7440-45-1, Cerium, properties

18923-26-7, Cerium(3+), properties 22541-20-4, Terbium(3+), properties

RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)

(yttrium carbide nitride silicide doped with; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD

- (1) Adamsky, R; Z Kristallogr 1959, V111, P350 CAPLUS
- (2) Ekstrom, T; J Mater Chem 1997, V7, P505 CAPLUS
- (3) Hintzen, H; EP 1104799 2001 CAPLUS
- (4) Hirosaki, N; WO 2005078811 2001 CAPLUS
- (5) Hoppe, H; J Mater Chem 2001, V11, P3300
- (6) Lammers, M; J Electrochem Soc 1987, V134, P2068 CAPLUS
- (7) Lee, J; J Am Ceram Soc 1979, V58, P869 CAPLUS
- (8) Li, Y; J Solid State Chem 2004, V177, P4687 CAPLUS
- (9) Liddell, K; J Eur Ceram Soc 2005, V25, P37 CAPLUS
- (10) Schmidt, P; WO 2005083037 A1 2005 CAPLUS
- (11) Thompson, D; Mater Sci Res 1986, V20, P79 CAPLUS
- (12) van Krevel, J; J Alloys Compd 1998, V268, P272 CAPLUS
- (13) van Krevel, J; J Solid State Chem 2002, V165, P19 CAPLUS
- (14) Wiles, D; J Appl Crystallogr 1981, V14, P149 CAPLUS
- (15) Wiles, D; J Appl Crystallogr 1982, V15, P430

=> e ccen6si4y2/mf

E1	1	CCEI/MF
E2	1	CCEN/MF
E3	0	--> CCEN6SI4Y2/MF
E4	3	CCEO/MF
E5	4	CCEO2/MF
E6	1	CCEO3/MF
E7	1	CCEO3.H/MF
E8	1	CCEO4/MF
E9	1	CCEO4.H4N/MF
E10	1	CCEOS2SI/MF
E11	1	CCEPT3/MF
E12	1	CCERE2SI/MF

=> e cerium silicon yttrium carbide nitride/cn

E1	1	CERIUM SILICON TRIARSENIDE/CN
E2	1	CERIUM SILICON TRIPHOSPHIDE/CN
E3	0	--> CERIUM SILICON YTTRIUM CARBIDE NITRIDE/CN
E4	1	CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.02SI4Y1.98CN6)/CN
E5	1	CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.04SI4Y1.96CN6)/CN
E6	1	CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.06SI4Y1.94CN6)/CN
E7	1	CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.08SI4Y1.92CN6)/CN
E8	1	CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.1SI4Y1.9CN6)/CN
E9	1	CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.2SI4Y1.8CN6)/CN
E10	1	CERIUM SILICON YTTRIUM NITRIDE (CE0.05SI3Y0.95N5)/CN
E11	1	CERIUM SILICON YTTRIUM OXIDE/CN
E12	1	CERIUM SILICON ZIRCONIUM BORIDE NITRIDE OXIDE (CE0.03SI0.1ZR0.74B1.68N0.34O0.06)/CN

=> e e4-e10

	1	"CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.02SI4Y1.98CN6)"/CN
	1	"CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.04SI4Y1.96CN6)"/CN
	1	"CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.06SI4Y1.94CN6)"/CN
	1	"CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.08SI4Y1.92CN6)"/CN
	1	"CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.1SI4Y1.9CN6)"/CN
	1	"CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.2SI4Y1.8CN6)"/CN
	1	"CERIUM SILICON YTTRIUM NITRIDE (CE0.05SI3Y0.95N5)"/CN
L3	7	("CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.02SI4Y1.98CN6)"/CN OR "CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.04SI4Y1.96CN6)"/CN OR "CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.06SI4Y1.94CN6)"/CN

6)"/CN OR "CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.08SI4Y1.9
2CN6)"/CN OR "CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.1SI4Y1
.9CN6)"/CN OR "CERIUM SILICON YTTRIUM CARBIDE NITRIDE (CE0.2SI4Y
1.8CN6)"/CN OR "CERIUM SILICON YTTRIUM NITRIDE (CE0.05SI3Y0.95N5
)/CN)

=> e cerium silicon lutium carbide nitride/cn

```
E1      1      CERIUM SILICON CHLORIDE NITRIDE OXIDE (CE4SI4CL0.93N6.93O3.1
          4)/CN
E2      1      CERIUM SILICON FLUORIDE OXIDE (CE0.5SI0.5F1.5O)/CN
E3      0 --> CERIUM SILICON LUTIUM CARBIDE NITRIDE/CN
E4      1      CERIUM SILICON NITRIDE (CE2SI5N8)/CN
E5      1      CERIUM SILICON NITRIDE (CE3SI6N11)/CN
E6      1      CERIUM SILICON NITRIDE (CESI3N5)/CN
E7      1      CERIUM SILICON NITRIDE OXIDE (CE0.01SI2.97N3.97O0.02)/CN
E8      1      CERIUM SILICON NITRIDE OXIDE (CE0.02SI2.93N3.9O0.05)/CN
E9      1      CERIUM SILICON NITRIDE OXIDE (CE0.08SI2.75N3.67O0.17)/CN
E10     1      CERIUM SILICON NITRIDE OXIDE (CE0.1SI2.85N3.8O0.15)/CN
E11     1      CERIUM SILICON NITRIDE OXIDE (CE16SI15N32O6)/CN
E12     1      CERIUM SILICON NITRIDE OXIDE (CE2SI3N2O5)/CN
```

=> e cerium silicon gadolinium carbide nitride/cn

```
E1      1      CERIUM SILICON CHLORIDE NITRIDE OXIDE (CE4SI4CL0.93N6.93O3.1
          4)/CN
E2      1      CERIUM SILICON FLUORIDE OXIDE (CE0.5SI0.5F1.5O)/CN
E3      0 --> CERIUM SILICON GADOLINIUM CARBIDE NITRIDE/CN
E4      1      CERIUM SILICON NITRIDE (CE2SI5N8)/CN
E5      1      CERIUM SILICON NITRIDE (CE3SI6N11)/CN
E6      1      CERIUM SILICON NITRIDE (CESI3N5)/CN
E7      1      CERIUM SILICON NITRIDE OXIDE (CE0.01SI2.97N3.97O0.02)/CN
E8      1      CERIUM SILICON NITRIDE OXIDE (CE0.02SI2.93N3.9O0.05)/CN
E9      1      CERIUM SILICON NITRIDE OXIDE (CE0.08SI2.75N3.67O0.17)/CN
E10     1      CERIUM SILICON NITRIDE OXIDE (CE0.1SI2.85N3.8O0.15)/CN
E11     1      CERIUM SILICON NITRIDE OXIDE (CE16SI15N32O6)/CN
E12     1      CERIUM SILICON NITRIDE OXIDE (CE2SI3N2O5)/CN
```

=> d all 13

```
L3      ANSWER 1 OF 7  REGISTRY  COPYRIGHT 2009 ACS on STN
RN      1007115-58-3  REGISTRY
ED      Entered STN:  07 Mar 2008
CN      Cerium silicon yttrium nitride (Ce0.05Si3Y0.95N5)  (CA INDEX
NAME)
MF      Ce . N . Si . Y
AF      Ce0.05 N5 Si3 Y0.95
CI      TIS
SR      CA
LC      STN Files:  CA, CAPLUS
DT.CA   Caplus document type:  Patent
RL.P    Roles from patents:  PREP (Preparation); PRP (Properties); USES (Uses)
```

Component	Ratio	Component
		Registry Number
N	5	17778-88-0
Y	0.95	7440-65-5
Ce	0.05	7440-45-1
Si	3	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1



AN 148:272455 CA
 TI Method for preparing nitride phosphor
 IN Liu, Quanlin; Wei, Xiaodan; Cai, Liyan
 PA University of Science and Technology of Beijing, Peop. Rep. China
 SO Faming Zhuanli Shenqing Gongkai Shuomingshu, 11pp.
 CODEN: CNXXEV
 DT Patent
 LA Chinese
 CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	CN 101113332	A	20080130	CN 2007-10119774	20070731
PRAI	CN 2007-10119774		20070731		

AB The title nitride luminous material has a general chem. formula of: $\text{Ln}_{1-x}\text{M}_x\text{Si}_3\text{N}_5-3x+\text{xyO}_3x-\text{xy}$, wherein, Ln is La or Y; M is Ce or Eu; $y = 3$ or 2 ; $0 < x < 1$. The title method entails the steps of: (1) smelting Ln and Si in an arc furnace to obtain alloy LnaSib, smelting Ce and Si in an arc furnace to obtain alloy CecSid, and grinding, and (2) uniformly and proportionally mixing LnaSib, CecSid or Eu_2O_3 , and Si_3N_4 , tableting, placing into a high-temp. solid-phase reaction furnace, and sintering at $1,600-1,800^\circ\text{C}$ under $1-10\text{atm}$ nitrogen protection for $1-10\text{h}$. By doping rare earth luminous center My^+ in $\text{YSi}_3(\text{N},\text{O})_5$ matrix, nitride luminous material with good fluorescent performance in visible light wave band can be obtained. The nitride luminous material has an emission wavelength of $400-600\text{nm}$ when being excited by $350-510\text{nm}$ light.

ST prepn nitride luminous material

IT Grinding (machining)

Phosphors

Sintering

Smelting

(method for prepg. nitride phosphor)

IT 1007115-58-3P, Cerium silicon yttrium nitride ($\text{Ce}_{0.05}\text{Si}_3\text{Y}_{0.95}\text{N}_5$)

1007115-59-4P, Europium silicon yttrium nitride oxide

($\text{Eu}_{0.1}\text{Si}_3\text{Y}_{0.9}\text{N}_{4.9}\text{O}_{0.1}$) 1007115-60-7P, Cerium lanthanum silicon nitride

($\text{Ce}_{0.02}\text{La}_{0.98}\text{Si}_3\text{N}_5$) 1007115-61-8P, Europium lanthanum silicon nitride

oxide ($\text{Eu}_{0.05}\text{La}_{0.95}\text{Si}_3\text{N}_{4.95}\text{O}_{0.05}$)

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(method for prepg. nitride phosphor)

IT 1308-96-9, Europium oxide 7439-91-0, Lanthanum, reactions 7440-21-3,

Silicon, reactions 7440-45-1, Cerium, reactions 7440-65-5, Yttrium,

reactions 12033-89-5, Silicon nitride, reactions 102427-06-5, Yttrium

silicide 144593-16-8, Lanthanum silicide 144593-17-9, Cerium silicide

RL: RCT (Reactant); RACT (Reactant or reagent)

(method for prepg. nitride phosphor)

=> d all 13 1-7

L3 ANSWER 1 OF 7 REGISTRY COPYRIGHT 2009 ACS on STN

RN 1007115-58-3 REGISTRY

ED Entered STN: 07 Mar 2008

CN Cerium silicon yttrium nitride ($\text{Ce}_{0.05}\text{Si}_3\text{Y}_{0.95}\text{N}_5$) (CA INDEX NAME)

MF Ce . N . Si . Y

AF $\text{Ce}_{0.05}\text{N}_5\text{Si}_3\text{Y}_{0.95}$

CI TIS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: PREP (Preparation); PRP (Properties); USES (Uses)

Component	Ratio	Component
		Registry Number

```

=====+=====+=====
N      |          5          |      17778-88-0
Y      |          0.95        |      7440-65-5
Ce     |          0.05        |      7440-45-1
Si     |          3           |      7440-21-3

```

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1

Full
Text

AN 148:272455 CA
TI Method for preparing nitride phosphor
IN Liu, Quanlin; Wei, Xiaodan; Cai, Liyan
PA University of Science and Technology of Beijing, Peop. Rep. China
SO Faming Zhuanli Shenqing Gongkai Shuomingshu, 11pp.
CODEN: CNXXEV
DT Patent
LA Chinese
CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	CN 101113332	A	20080130	CN 2007-10119774	20070731
PRAI	CN 2007-10119774		20070731		

AB The title nitride luminous material has a general chem. formula of: $\text{Ln}_{1-x}\text{M}_x\text{y}+\text{Si}_3\text{N}_5-3x+\text{xyO}_3x-\text{xy}$, wherein, Ln is La or Y; M is Ce or Eu; y = 3 or 2; $0 < x < 1$. The title method entails the steps of: (1) smelting Ln and Si in an arc furnace to obtain alloy LnaSib, smelting Ce and Si in an arc furnace to obtain alloy CecSid, and grinding, and (2) uniformly and proportionally mixing LnaSib, CecSid or Eu_2O_3 , and Si_3N_4 , tableting, placing into a high-temp. solid-phase reaction furnace, and sintering at $1,600-1,800^\circ\text{C}$ under 1-10atm nitrogen protection for 1-10h. By doping rare earth luminous center My^+ in $\text{YSi}_3(\text{N},\text{O})_5$ matrix, nitride luminous material with good fluorescent performance in visible light wave band can be obtained. The nitride luminous material has an emission wavelength of 400-600nm when being excited by 350-510nm light.

ST prepn nitride luminous material

IT Grinding (machining)

Phosphors

Sintering

Smelting

(method for prepg. nitride phosphor)

IT 1007115-58-3P, Cerium silicon yttrium nitride ($\text{Ce}_{0.05}\text{Si}_3\text{Y}_{0.95}\text{N}_5$)

1007115-59-4P, Europium silicon yttrium nitride oxide

($\text{Eu}_{0.1}\text{Si}_3\text{Y}_{0.9}\text{N}_{4.9}\text{O}_{0.1}$) 1007115-60-7P, Cerium lanthanum silicon nitride

($\text{Ce}_{0.02}\text{La}_{0.98}\text{Si}_3\text{N}_5$) 1007115-61-8P, Europium lanthanum silicon nitride

oxide ($\text{Eu}_{0.05}\text{La}_{0.95}\text{Si}_3\text{N}_{4.95}\text{O}_{0.05}$)

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or

engineered material use); PREP (Preparation); USES (Uses)

(method for prepg. nitride phosphor)

IT 1308-96-9, Europium oxide 7439-91-0, Lanthanum, reactions 7440-21-3,

Silicon, reactions 7440-45-1, Cerium, reactions 7440-65-5, Yttrium,

reactions 12033-89-5, Silicon nitride, reactions 102427-06-5, Yttrium

silicide 144593-16-8, Lanthanum silicide 144593-17-9, Cerium silicide

RL: RCT (Reactant); RACT (Reactant or reagent)

(method for prepg. nitride phosphor)

L3 ANSWER 2 OF 7 REGISTRY COPYRIGHT 2009 ACS on STN

RN 925545-77-3 REGISTRY

ED Entered STN: 07 Mar 2007

CN Cerium silicon yttrium carbide nitride ($\text{Ce}_{0.2}\text{Si}_4\text{Y}_{1.8}\text{CN}_6$) (CA INDEX NAME)

MF C . Ce . N . Si . Y
 AF C Ce0.2 N6 Si4 Y1.8
 CI TIS
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: USES (Uses)

Component	Ratio	Component Registry Number
N	6	17778-88-0
Y	1.8	7440-65-5
Ce	0.2	7440-45-1
C	1	7440-44-0
Si	4	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1



AN 146:261546 CA
 TI Phosphors with carbidonitridosilicate-type host lattices
 IN Hintzen, Hubertus Theresia; Starick, Detlef; Roesler, Sylke; Roesler, Sven; Li, Yuan Qiang
 PA Leuchtstoffwerk Breitenungen GmbH, Germany; Tridonic Optoelectronics GmbH
 SO Ger. Offen., 8pp.
 CODEN: GWXXBX
 DT Patent
 LA German
 CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 102005041153	A1	20070301	DE 2005-10200504115320050830	
CA 2620558	A1	20070308	CA 2006-2620558	20060829
WO 2007025973	A1	20070308	WO 2006-EP65788	20060829
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM EP 1922904 A1 20080521 EP 2006-793068 20060829 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR JP 2009506185 T 20090212 JP 2008-528506 20060829 IN 2008DN01848 A 20080627 IN 2008-DN1848 20080229 CN 101253814 A 20080827 CN 2006-80031921 20080229 US 20080251764 A1 20081016 US 2008-65480 20080229 KR 2008049771 A 20080604 KR 2008-707220 20080325				
PRAI DE 2005-102005041153		20050830	WO 2006-EP65788	20060829
AB Phosphors based on doped hosts are described which have a carbidonitridosilicate-type host lattice. ST carbidonitridosilicate host lattice phosphor				

IT Phosphors
(phosphors with carbidonitridosilicate-type host lattices)

IT 343332-13-8, Silicon yttrium carbide nitride (Si₄Y₂CN₆) 903905-91-9,
Cerium silicon yttrium carbide nitride (Ce_{0.02}Si₄Y_{1.98}CN₆) 925545-76-2,
Cerium silicon yttrium carbide nitride (Ce_{0.1}Si₄Y_{1.9}CN₆) 925545-77-3,
Cerium silicon yttrium carbide nitride (Ce_{0.2}Si₄Y_{1.8}CN₆)
RL: TEM (Technical or engineered material use); USES (Uses)
(cerium- and/or terbium-doped; phosphors with
carbidonitridosilicate-type host lattices)

IT 7440-27-9, Terbium, uses 7440-45-1, Cerium, uses 7440-53-1, Europium,
uses 16910-54-6, Europium 2+, uses 18923-26-7, Cerium 3+, uses
22541-18-0, Europium 3+, uses 22541-20-4, Terbium 3+, uses
RL: MOA (Modifier or additive use); TEM (Technical or engineered material
use); USES (Uses)
(phosphors with carbidonitridosilicate-type host lattices)

L3 ANSWER 3 OF 7 REGISTRY COPYRIGHT 2009 ACS on STN
RN 925545-76-2 REGISTRY
ED Entered STN: 07 Mar 2007
CN Cerium silicon yttrium carbide nitride (Ce_{0.1}Si₄Y_{1.9}CN₆) (CA
INDEX NAME)
MF C . Ce . N . Si . Y
AF C Ce0.1 N6 Si4 Y1.9
CI TIS
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: USES (Uses)

Component	Ratio	Component
		Registry Number
N	6	17778-88-0
Y	1.9	7440-65-5
Ce	0.1	7440-45-1
C	1	7440-44-0
Si	4	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1

Full
Text

AN 146:261546 CA
TI Phosphors with carbidonitridosilicate-type host lattices
IN Hintzen, Hubertus Theresia; Starick, Detlef; Roesler, Sylke; Roesler,
Sven; Li, Yuan Qiang
PA Leuchtstoffwerk Breitung GmbH, Germany; Tridonic Optoelectronics GmbH
SO Ger. Offen., 8pp.
CODEN: GWXXBX
DT Patent
LA German
CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related
Properties)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	<u>DE 102005041153</u>	A1	20070301	DE 2005-10200504115320050830	
	<u>CA 2620558</u>	A1	20070308	<u>CA 2006-2620558</u>	20060829
	<u>WO 2007025973</u>	A1	20070308	<u>WO 2006-EP65788</u>	20060829
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN,				

MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS,
 RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ,
 UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
 RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
 IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
 CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
 GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
 KG, KZ, MD, RU, TJ, TM

EP 1922904 A1 20080521 EP 2006-793068 20060829

R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
 IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR

JP 2009506185 T 20090212 JP 2008-528506 20060829

IN 2008DN01848 A 20080627 IN 2008-DN1848 20080229

CN 101253814 A 20080827 CN 2006-80031921 20080229

US 20080251764 A1 20081016 US 2008-65480 20080229

KR 2008049771 A 20080604 KR 2008-707220 20080325

PRAI DE 2005-102005041153 20050830

WO 2006-EP65788 20060829

AB Phosphors based on doped hosts are described which have a
 carbidonitridosilicate-type host lattice.

ST carbidonitridosilicate host lattice phosphor

IT Phosphors

(phosphors with carbidonitridosilicate-type host lattices)

IT 343332-13-8, Silicon yttrium carbide nitride (Si4Y2CN6) 903905-91-9,

Cerium silicon yttrium carbide nitride (Ce0.02Si4Y1.98CN6) 925545-76-2,

Cerium silicon yttrium carbide nitride (Ce0.1Si4Y1.9CN6) 925545-77-3,

Cerium silicon yttrium carbide nitride (Ce0.2Si4Y1.8CN6)

RL: TEM (Technical or engineered material use); USES (Uses)

(cerium- and/or terbium-doped; phosphors with

carbidonitridosilicate-type host lattices)

IT 7440-27-9, Terbium, uses 7440-45-1, Cerium, uses 7440-53-1, Europium,

uses 16910-54-6, Europium 2+, uses 18923-26-7, Cerium 3+, uses

22541-18-0, Europium 3+, uses 22541-20-4, Terbium 3+, uses

RL: MOA (Modifier or additive use); TEM (Technical or engineered material
 use); USES (Uses)

(phosphors with carbidonitridosilicate-type host lattices)

L3 ANSWER 4 OF 7 REGISTRY COPYRIGHT 2009 ACS on STN

RN 903905-93-1 REGISTRY

ED Entered STN: 23 Aug 2006

CN Cerium silicon yttrium carbide nitride (Ce0.08Si4Y1.92CN6) (CA
 INDEX NAME)

MF C . Ce . N . Si . Y

AF C Ce0.08 N6 Si4 Y1.92

CI TIS

SR CA

LC STN Files: CA, CAPLUS

DT.CA Caplus document type: Journal

RL.NP Roles from non-patents: PREP (Preparation); PRP (Properties)

Component	Ratio	Component
		Registry Number
N	6	17778-88-0
Y	1.92	7440-65-5
Ce	0.08	7440-45-1
C	1	7440-44-0
Si	4	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1



AN 145:220100 CA
 TI Preparation, Structure, and Luminescence Properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺
 AU Zhang, Hongchuan; Horikawa, Takashi; Machida, Ken-Ichi
 CS Center for Advanced Science and Innovation, Osaka University, Suita, Osaka, 565-0871, Japan
 SO Journal of the Electrochemical Society (2006), 153(7), H151-H154
 CODEN: JESOAN; ISSN: 0013-4651
 PB Electrochemical Society
 DT Journal
 LA English
 CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
 Section cross-reference(s): 78
 AB Rare-earth Si carbonitrides, Y₂Si₄N₆C and Y₂Si₄N₆C:M³⁺ (M=Ce,Tb), were prepd. by a carbothermal redn. and nitridation method. The crystal structure of Y₂Si₄N₆C was detd. by Rietveld refinement using the at. coordinates of Ho₂Si₄N₆C as a starting model. The host lattice was isostructural with Ho₂Si₄N₆C of monoclinic system [P2₁/c, a 5.9295(1), b 9.8957(1), c 11.8800(2) Å, β 119.63(4)°, and Z = 4]. The photoluminescence properties of doped materials, Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺, were characterized from the detailed structural anal. result.
 ST prepn structure luminescence yttrium carbide nitride silicide cerium terbium
 IT Reduction
 (carbothermic, in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT Nitriding
 (in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT Rare earth metals, properties
 RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
 (ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT Bond angle
 Bond length
 Crystal structure
 Luminescence
 Molecular structure
 (prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT Photoexcitation
 (spectra; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT 343332-13-8P, Silicon yttrium carbide nitride (Si₄Y₂CN₆)
 RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
 (doped with rare earth ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT 903905-89-5P, Cerium silicon yttrium carbide nitride (Ce_{0.06}Si₄Y_{1.94}CN₆)
903905-90-8P, Silicon terbium yttrium carbide nitride (Si₄Tb_{0.3}Y_{1.7}CN₆)
903905-91-9P, Cerium silicon yttrium carbide nitride (Ce_{0.02}Si₄Y_{1.98}CN₆)
903905-92-0P, Cerium silicon yttrium carbide nitride (Ce_{0.04}Si₄Y_{1.96}CN₆)
903905-93-1P, Cerium silicon yttrium carbide nitride (Ce_{0.08}Si₄Y_{1.92}CN₆)
 RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
 (prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT 1314-36-9, Yttrium oxide, reactions 7440-44-0, Carbon, reactions 7727-37-9, Nitrogen, reactions 12033-89-5, Silicon nitride, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT 7440-27-9, Terbium, properties 7440-45-1, Cerium, properties 18923-26-7, Cerium(3+), properties 22541-20-4, Terbium(3+), properties
 RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
 (yttrium carbide nitride silicide doped with; prepn., structure, and

luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD

- (1) Adamsky, R; Z Kristallogr 1959, V111, P350 [CAPLUS](#)
- (2) Ekstrom, T; J Mater Chem 1997, V7, P505 [CAPLUS](#)
- (3) Hintzen, H; EP 1104799 2001 [CAPLUS](#)
- (4) Hirosaki, N; WO 2005078811 2001 [CAPLUS](#)
- (5) Hoppe, H; J Mater Chem 2001, V11, P3300
- (6) Lammers, M; J Electrochem Soc 1987, V134, P2068 [CAPLUS](#)
- (7) Lee, J; J Am Ceram Soc 1979, V58, P869 [CAPLUS](#)
- (8) Li, Y; J Solid State Chem 2004, V177, P4687 [CAPLUS](#)
- (9) Liddell, K; J Eur Ceram Soc 2005, V25, P37 [CAPLUS](#)
- (10) Schmidt, P; WO 2005083037 A1 2005 [CAPLUS](#)
- (11) Thompson, D; Mater Sci Res 1986, V20, P79 [CAPLUS](#)
- (12) van Krevel, J; J Alloys Compd 1998, V268, P272 [CAPLUS](#)
- (13) van Krevel, J; J Solid State Chem 2002, V165, P19 [CAPLUS](#)
- (14) Wiles, D; J Appl Crystallogr 1981, V14, P149 [CAPLUS](#)
- (15) Wiles, D; J Appl Crystallogr 1982, V15, P430

L3 ANSWER 5 OF 7 REGISTRY COPYRIGHT 2009 ACS on STN

RN 903905-92-0 REGISTRY

ED Entered STN: 23 Aug 2006

CN Cerium silicon yttrium carbide nitride (Ce_{0.04}Si₄Y_{1.96}CN₆) (CA INDEX NAME)

MF C . Ce . N . Si . Y

AF C Ce_{0.04} N₆ Si₄ Y_{1.96}

CI TIS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Journal

RL.NP Roles from non-patents: PREP (Preparation); PRP (Properties)

Component	Ratio	Component Registry Number
N	6	17778-88-0
Y	1.96	7440-65-5
Ce	0.04	7440-45-1
C	1	7440-44-0
Si	4	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1



AN 145:220100 CA

TI Preparation, Structure, and Luminescence Properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺

AU Zhang, Hongchuan; Horikawa, Takashi; Machida, Ken-Ichi

CS Center for Advanced Science and Innovation, Osaka University, Suita, Osaka, 565-0871, Japan

SO Journal of the Electrochemical Society (2006), 153(7), H151-H154
CODEN: JESOAN; ISSN: 0013-4651

PB Electrochemical Society

DT Journal

LA English

CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
Section cross-reference(s): 78

AB Rare-earth Si carbonitrides, Y₂Si₄N₆C and Y₂Si₄N₆C:M³⁺ (M=Ce,Tb), were prepd. by a carbothermal redn. and nitridation method. The crystal structure of Y₂Si₄N₆C was detd. by Rietveld refinement using the at. coordinates of Ho₂Si₄N₆C as a starting model. The host lattice was isostructural with Ho₂Si₄N₆C of monoclinic system [P2₁/c, a 5.9295(1), b

9.8957(1), c 11.8800(2) Å, β 119.63(4)°, and Z = 4]. The photoluminescence properties of doped materials, Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺, were characterized from the detailed structural analysis.

ST prepn structure luminescence yttrium carbide nitride silicide cerium terbium

IT Reduction
(carbothermic, in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Nitriding
(in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Rare earth metals, properties
RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
(ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Bond angle
Bond length
Crystal structure
Luminescence
Molecular structure
(prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Photoexcitation
(spectra; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 343332-13-8P, Silicon yttrium carbide nitride (Si₄Y₂CN₆)
RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
(doped with rare earth ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 903905-89-5P, Cerium silicon yttrium carbide nitride (Ce_{0.06}Si₄Y_{1.94}CN₆)
903905-90-8P, Silicon terbium yttrium carbide nitride (Si₄Tb_{0.3}Y_{1.7}CN₆)
903905-91-9P, Cerium silicon yttrium carbide nitride (Ce_{0.02}Si₄Y_{1.98}CN₆)
903905-92-0P, Cerium silicon yttrium carbide nitride (Ce_{0.04}Si₄Y_{1.96}CN₆)
903905-93-1P, Cerium silicon yttrium carbide nitride (Ce_{0.08}Si₄Y_{1.92}CN₆)
RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
(prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 1314-36-9, Yttrium oxide, reactions 7440-44-0, Carbon, reactions 7727-37-9, Nitrogen, reactions 12033-89-5, Silicon nitride, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 7440-27-9, Terbium, properties 7440-45-1, Cerium, properties 18923-26-7, Cerium(3+), properties 22541-20-4, Terbium(3+), properties
RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
(yttrium carbide nitride silicide doped with; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD

- (1) Adamsky, R; Z Kristallogr 1959, V111, P350 [CAPLUS](#)
- (2) Ekstrom, T; J Mater Chem 1997, V7, P505 [CAPLUS](#)
- (3) Hintzen, H; EP 1104799 2001 [CAPLUS](#)
- (4) Hirosaki, N; WO 2005078811 2001 [CAPLUS](#)
- (5) Hoppe, H; J Mater Chem 2001, V11, P3300
- (6) Lammers, M; J Electrochem Soc 1987, V134, P2068 [CAPLUS](#)
- (7) Lee, J; J Am Ceram Soc 1979, V58, P869 [CAPLUS](#)
- (8) Li, Y; J Solid State Chem 2004, V177, P4687 [CAPLUS](#)
- (9) Liddell, K; J Eur Ceram Soc 2005, V25, P37 [CAPLUS](#)
- (10) Schmidt, P; WO 2005083037 A1 2005 [CAPLUS](#)
- (11) Thompson, D; Mater Sci Res 1986, V20, P79 [CAPLUS](#)
- (12) van Krevel, J; J Alloys Compd 1998, V268, P272 [CAPLUS](#)
- (13) van Krevel, J; J Solid State Chem 2002, V165, P19 [CAPLUS](#)
- (14) Wiles, D; J Appl Crystallogr 1981, V14, P149 [CAPLUS](#)
- (15) Wiles, D; J Appl Crystallogr 1982, V15, P430

L3 ANSWER 6 OF 7 REGISTRY COPYRIGHT 2009 ACS on STN

RN 903905-91-9 REGISTRY
 ED Entered STN: 23 Aug 2006
 CN Cerium silicon yttrium carbide nitride (Ce_{0.02}Si₄Y_{1.98}CN₆) (CA
 INDEX NAME)
 MF C . Ce . N . Si . Y
 AF C Ce_{0.02} N₆ Si₄ Y_{1.98}
 CI TIS
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA CAplus document type: Journal; Patent
 RL.P Roles from patents: USES (Uses)
 RL.NP Roles from non-patents: PREP (Preparation); PRP (Properties)

Component	Ratio	Component Registry Number
N	6	17778-88-0
Y	1.98	7440-65-5
Ce	0.02	7440-45-1
C	1	7440-44-0
Si	4	7440-21-3

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1

Full
Text

AN 146:261546 CA
 TI Phosphors with carbidonitridosilicate-type host lattices
 IN Hintzen, Hubertus Theresia; Starick, Detlef; Roesler, Sylke; Roesler,
 Sven; Li, Yuan Qiang
 PA Leuchtstoffwerk Breitenungen GmbH, Germany; Tridonic Optoelectronics GmbH
 SO Ger. Offen., 8pp.
 CODEN: GWXXBX
 DT Patent
 LA German
 CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related
 Properties)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 102005041153	A1	20070301	DE 2005-10200504115320050830	
	CA 2620558	A1	20070308	CA 2006-2620558	20060829
	WO 2007025973	A1	20070308	WO 2006-EP65788	20060829
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW				
	RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	EP 1922904	A1	20080521	EP 2006-793068	20060829
	R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR				
	JP 2009506185	T	20090212	JP 2008-528506	20060829
	IN 2008DN01848	A	20080627	IN 2008-DN1848	20080229
	CN 101253814	A	20080827	CN 2006-80031921	20080229
	US 20080251764	A1	20081016	US 2008-65480	20080229
	KR 2008049771	A	20080604	KR 2008-707220	20080325

PRAI DE 2005-102005041153 20050830

WO 2006-EP65788 20060829

AB Phosphors based on doped hosts are described which have a carbidonitridosilicate-type host lattice.

ST carbidonitridosilicate host lattice phosphor

IT Phosphors

(phosphors with carbidonitridosilicate-type host lattices)

IT 343332-13-8, Silicon yttrium carbide nitride (Si₄Y₂CN₆) 903905-91-9,
Cerium silicon yttrium carbide nitride (Ce_{0.02}Si₄Y_{1.98}CN₆) 925545-76-2,
Cerium silicon yttrium carbide nitride (Ce_{0.1}Si₄Y_{1.9}CN₆) 925545-77-3,
Cerium silicon yttrium carbide nitride (Ce_{0.2}Si₄Y_{1.8}CN₆)

RL: TEM (Technical or engineered material use); USES (Uses)

(cerium- and/or terbium-doped; phosphors with carbidonitridosilicate-type host lattices)

IT 7440-27-9, Terbium, uses 7440-45-1, Cerium, uses 7440-53-1, Europium, uses 16910-54-6, Europium 2+, uses 18923-26-7, Cerium 3+, uses 22541-18-0, Europium 3+, uses 22541-20-4, Terbium 3+, uses

RL: MOA (Modifier or additive use); TEM (Technical or engineered material use); USES (Uses)

(phosphors with carbidonitridosilicate-type host lattices)

REFERENCE 2



AN 145:220100 CA

TI Preparation, Structure, and Luminescence Properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺

AU Zhang, Hongchuan; Horikawa, Takashi; Machida, Ken-Ichi

CS Center for Advanced Science and Innovation, Osaka University, Suita, Osaka, 565-0871, Japan

SO Journal of the Electrochemical Society (2006), 153(7), H151-H154
CODEN: JESOAN; ISSN: 0013-4651

PB Electrochemical Society

DT Journal

LA English

CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

Section cross-reference(s): 78

AB Rare-earth Si carbonitrides, Y₂Si₄N₆C and Y₂Si₄N₆C:M³⁺ (M=Ce,Tb), were prepd. by a carbothermal redn. and nitridation method. The crystal structure of Y₂Si₄N₆C was detd. by Rietveld refinement using the at. coordinates of Ho₂Si₄N₆C as a starting model. The host lattice was isostructural with Ho₂Si₄N₆C of monoclinic system [P2₁/c, a 5.9295(1), b 9.8957(1), c 11.8800(2) Å, β 119.63(4)°, and Z = 4]. The photoluminescence properties of doped materials, Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺, were characterized from the detailed structural anal. result.

ST prepn structure luminescence yttrium carbide nitride silicide cerium terbium

IT Reduction

(carbothermic, in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Nitriding

(in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Rare earth metals, properties

RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)

(ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT Bond angle

Bond length

Crystal structure

Luminescence

Molecular structure

(prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and

Y2Si4N6C:Tb3+)

IT Photoexcitation
(spectra; prepn., structure, and luminescence properties of
Y2Si4N6C:Ce3+ and Y2Si4N6C:Tb3+)

IT 343332-13-8P, Silicon yttrium carbide nitride (Si4Y2CN6)
RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
(doped with rare earth ions; prepn., structure, and luminescence
properties of Y2Si4N6C:Ce3+ and Y2Si4N6C:Tb3+)

IT 903905-89-5P, Cerium silicon yttrium carbide nitride (Ce0.06Si4Y1.94CN6)
903905-90-8P, Silicon terbium yttrium carbide nitride (Si4Tb0.3Y1.7CN6)
903905-91-9P, Cerium silicon yttrium carbide nitride (Ce0.02Si4Y1.98CN6)
903905-92-0P, Cerium silicon yttrium carbide nitride (Ce0.04Si4Y1.96CN6)
903905-93-1P, Cerium silicon yttrium carbide nitride (Ce0.08Si4Y1.92CN6)
RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
(prepn., structure, and luminescence properties of Y2Si4N6C:Ce3+ and
Y2Si4N6C:Tb3+)

IT 1314-36-9, Yttrium oxide, reactions 7440-44-0, Carbon, reactions
7727-37-9, Nitrogen, reactions 12033-89-5, Silicon nitride, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn., structure, and luminescence properties of Y2Si4N6C:Ce3+ and
Y2Si4N6C:Tb3+)

IT 7440-27-9, Terbium, properties 7440-45-1, Cerium, properties
18923-26-7, Cerium(3+), properties 22541-20-4, Terbium(3+), properties
RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
(yttrium carbide nitride silicide doped with; prepn., structure, and
luminescence properties of Y2Si4N6C:Ce3+ and Y2Si4N6C:Tb3+)

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD

- (1) Adamsky, R; Z Kristallogr 1959, V111, P350 CAPLUS
- (2) Ekstrom, T; J Mater Chem 1997, V7, P505 CAPLUS
- (3) Hintzen, H; EP 1104799 2001 CAPLUS
- (4) Hirosaki, N; WO 2005078811 2001 CAPLUS
- (5) Hoppe, H; J Mater Chem 2001, V11, P3300
- (6) Lammers, M; J Electrochem Soc 1987, V134, P2068 CAPLUS
- (7) Lee, J; J Am Ceram Soc 1979, V58, P869 CAPLUS
- (8) Li, Y; J Solid State Chem 2004, V177, P4687 CAPLUS
- (9) Liddell, K; J Eur Ceram Soc 2005, V25, P37 CAPLUS
- (10) Schmidt, P; WO 2005083037 A1 2005 CAPLUS
- (11) Thompson, D; Mater Sci Res 1986, V20, P79 CAPLUS
- (12) van Krevel, J; J Alloys Compd 1998, V268, P272 CAPLUS
- (13) van Krevel, J; J Solid State Chem 2002, V165, P19 CAPLUS
- (14) Wiles, D; J Appl Crystallogr 1981, V14, P149 CAPLUS
- (15) Wiles, D; J Appl Crystallogr 1982, V15, P430

L3 ANSWER 7 OF 7 REGISTRY COPYRIGHT 2009 ACS on STN

RN 903905-89-5 REGISTRY

ED Entered STN: 23 Aug 2006

CN Cerium silicon yttrium carbide nitride (Ce0.06Si4Y1.94CN6) (CA
INDEX NAME)

MF C . Ce . N . Si . Y

AF C Ce0.06 N6 Si4 Y1.94

CI TIS

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAPLUS document type: Journal

RL.NP Roles from non-patents: PREP (Preparation); PRP (Properties)

Component	Ratio	Component
		Registry Number
N	6	17778-88-0
Y	1.94	7440-65-5
Ce	0.06	7440-45-1
C	1	7440-44-0
Si	4	7440-21-3

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1



- AN 145:220100 CA
 TI Preparation, Structure, and Luminescence Properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺
 AU Zhang, Hongchuan; Horikawa, Takashi; Machida, Ken-Ichi
 CS Center for Advanced Science and Innovation, Osaka University, Suita, Osaka, 565-0871, Japan
 SO Journal of the Electrochemical Society (2006), 153(7), H151-H154
 CODEN: JESOAN; ISSN: 0013-4651
 PB Electrochemical Society
 DT Journal
 LA English
 CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
 Section cross-reference(s): 78
 AB Rare-earth Si carbonitrides, Y₂Si₄N₆C and Y₂Si₄N₆C:M³⁺ (M=Ce,Tb), were prepd. by a carbothermal redn. and nitridation method. The crystal structure of Y₂Si₄N₆C was detd. by Rietveld refinement using the at. coordinates of Ho₂Si₄N₆C as a starting model. The host lattice was isostructural with Ho₂Si₄N₆C of monoclinic system [P2₁/c, a 5.9295(1), b 9.8957(1), c 11.8800(2) Å, β 119.63(4)°, and Z = 4]. The photoluminescence properties of doped materials, Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺, were characterized from the detailed structural anal. result.
 ST prepn structure luminescence yttrium carbide nitride silicide cerium terbium
 IT Reduction
 (carbothermic, in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT Nitriding
 (in prepn.; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT Rare earth metals, properties
 RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
 (ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT Bond angle
 Bond length
 Crystal structure
 Luminescence
 Molecular structure
 (prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT Photoexcitation
 (spectra; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT 343332-13-8P, Silicon yttrium carbide nitride (Si₄Y₂CN₆)
 RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
 (doped with rare earth ions; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT 903905-89-5P, Cerium silicon yttrium carbide nitride (Ce_{0.06}Si₄Y_{1.94}CN₆)
903905-90-8P, Silicon terbium yttrium carbide nitride (Si₄Tb_{0.3}Y_{1.7}CN₆)
903905-91-9P, Cerium silicon yttrium carbide nitride (Ce_{0.02}Si₄Y_{1.98}CN₆)
903905-92-0P, Cerium silicon yttrium carbide nitride (Ce_{0.04}Si₄Y_{1.96}CN₆)
903905-93-1P, Cerium silicon yttrium carbide nitride (Ce_{0.08}Si₄Y_{1.92}CN₆)
 RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)
 (prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)
 IT 1314-36-9, Yttrium oxide, reactions 7440-44-0, Carbon, reactions 7727-37-9, Nitrogen, reactions 12033-89-5, Silicon nitride, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)

(prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

IT 7440-27-9, Terbium, properties 7440-45-1, Cerium, properties 18923-26-7, Cerium(3+), properties 22541-20-4, Terbium(3+), properties
 RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses)
 (yttrium carbide nitride silicide doped with; prepn., structure, and luminescence properties of Y₂Si₄N₆C:Ce³⁺ and Y₂Si₄N₆C:Tb³⁺)

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD

- (1) Adamsky, R; Z Kristallogr 1959, V111, P350 [CAPLUS](#)
- (2) Ekstrom, T; J Mater Chem 1997, V7, P505 [CAPLUS](#)
- (3) Hintzen, H; EP 1104799 2001 [CAPLUS](#)
- (4) Hirosaki, N; WO 2005078811 2001 [CAPLUS](#)
- (5) Hoppe, H; J Mater Chem 2001, V11, P3300
- (6) Lammers, M; J Electrochem Soc 1987, V134, P2068 [CAPLUS](#)
- (7) Lee, J; J Am Ceram Soc 1979, V58, P869 [CAPLUS](#)
- (8) Li, Y; J Solid State Chem 2004, V177, P4687 [CAPLUS](#)
- (9) Liddell, K; J Eur Ceram Soc 2005, V25, P37 [CAPLUS](#)
- (10) Schmidt, P; WO 2005083037 A1 2005 [CAPLUS](#)
- (11) Thompson, D; Mater Sci Res 1986, V20, P79 [CAPLUS](#)
- (12) van Krevel, J; J Alloys Compd 1998, V268, P272 [CAPLUS](#)
- (13) van Krevel, J; J Solid State Chem 2002, V165, P19 [CAPLUS](#)
- (14) Wiles, D; J Appl Crystallogr 1981, V14, P149 [CAPLUS](#)
- (15) Wiles, D; J Appl Crystallogr 1982, V15, P430

=>